

# Bronze & Brass Plumbing Valves

Effective: May 1, 2014

PL514



## BALL VALVES

LEAD-FREE DRINKING WATER VALVES

|                | 1/4" | 3/8"  | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"     | 2 1/2" | 3"     | 4"     | DESCRIPTION             |
|----------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------------------------|
| <b>G100</b>    | 9.42 | 9.72  | 7.70  | 11.64 | 18.37 | 27.97  | 40.37  | 62.21  | 209.62 | 338.37 | 480.70 | FIP, 600 WOG, FULL PORT |
| Carton Qty     | 12   | 12    | 24    | 24    | 10    | 4      | 4      | 2      | 2      | 2      | 1      |                         |
| <b>G100VL</b>  | X    | X     | 20.14 | 33.57 | 50.35 | X      | X      | X      | X      | X      | X      | VIPERLOK PUSH FIT       |
| Carton Qty     |      |       | 3     | 6     | 3     |        |        |        |        |        |        |                         |
| <b>G100S</b>   | X    | X     | 7.70  | 11.64 | 18.37 | 27.97  | 40.37  | 62.21  | 209.62 | 318.83 | 480.70 | SWT, 600 WOG, FULL PORT |
| Carton Qty     |      |       | 30    | 24    | 5     | 12     | 8      | 4      | 2      | 2      | 1      |                         |
| <b>G111</b>    | X    | X     | 23.84 | 32.80 | 42.90 | 73.38  | 110.10 | 164.24 | 366.53 | 466.11 | 836.09 | PRESS-FIT, FULL PORT    |
| Carton Qty     |      |       | 50    | 30    | 18    | 12     | 10     | 8      | 1      | 1      | 1      |                         |
| <b>G200C</b>   | X    | X     | 17.97 | 24.78 | 35.41 | X      | X      | X      | X      | X      | X      | COMPRESSION ENDS, FP    |
| Carton Qty     |      |       | 6     | 4     | 3     |        |        |        |        |        |        |                         |
| <b>G200BxB</b> | X    | 15.74 | 15.74 | 21.69 | 30.47 | X      | X      | X      | X      | X      | X      | PEX ENDS, 400 WOG       |
| Carton Qty     |      | 8     | 8     | 8     | 6     |        |        |        |        |        |        |                         |
| <b>G200SW</b>  | X    | X     | 14.68 | 21.78 | 29.05 | X      | X      | X      | X      | X      | X      | SWT W/WASTE, FP         |
| Carton Qty     |      |       | 6     | 6     | 4     |        |        |        |        |        |        |                         |

## BALL VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|              | 1/4" | 3/8" | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"    | 2 1/2" | 3"     | 4"     | DESCRIPTION             |
|--------------|------|------|-------|-------|-------|--------|--------|-------|--------|--------|--------|-------------------------|
| <b>M100</b>  | 7.25 | 7.25 | 7.25  | 10.20 | 15.81 | 24.48  | 36.71  | 61.17 | 166.94 | 212.20 | 331.49 | FIP, 600 WOG, FULL PORT |
| Carton Qty   | 12   | 12   | 24    | 24    | 8     | 4      | 4      | 2     | 2      | 2      | 2      |                         |
| <b>M100S</b> | X    | X    | 7.25  | 10.20 | 15.81 | 24.48  | 36.71  | 61.17 | 166.94 | 212.20 | 331.49 | SWT, 600 WOG, FULL PORT |
| Carton Qty   |      | 12   | 30    | 20    | 5     | 12     | 8      | 4     | 2      | 2      | 2      |                         |
| <b>2A</b>    | X    | X    | 31.84 | 52.54 | 66.15 | X      | X      | X     | X      | X      | X      | FIP-INDUSTRIAL          |
| Carton Qty   |      |      | 10    | 10    | 4     |        |        |       |        |        |        |                         |

## GATE VALVES

### LEAD-FREE DRINKING WATER VALVES

|                       | 1/4"  | 3/8"  | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"     | 2 1/2" | 3"     | 4"     | DESCRIPTION                 |
|-----------------------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-----------------------------|
| <b>G300</b>           | 12.06 | 12.06 | 10.12 | 13.41 | 18.42 | 28.77  | 43.85  | 63.47  | 125.80 | 178.11 | 278.43 | FIP, 200 WOG, NRS           |
| Carton Qty            | 24    | 24    | 8     | 10    | 6     | 2      | 2      | 2      | 2      | 1      | 1      |                             |
| <b>G300S</b>          | X     | X     | 10.12 | 13.41 | 18.42 | 28.77  | 43.85  | 63.47  | X      | X      | X      | SWT, 200 WOG, NRS           |
| Carton Qty            |       |       | 10    | 6     |       |        |        |        |        |        |        |                             |
| <b>3 (3F)</b>         | 35.77 | 35.77 | 35.77 | 44.59 | 67.02 | 87.18  | 112.94 | 167.33 | 435.95 | 552.38 | 944.72 | FIP, 125 WSP, NRS, FED SPEC |
| Carton Qty            | 15    | 15    | 12    | 18    | 12    | 8      | 4      | 2      | 1      | 1      | 1      |                             |
| <b>3S (3FS)</b>       | X     | X     | 35.77 | 44.59 | 67.02 | 87.18  | 112.94 | 167.33 | 435.95 | 552.38 | 944.72 | 125 WSP, NRS, FED SPEC      |
| Carton Qty            |       |       | 12    | 12    | 6     | 4      | 4      | 2      | 1      | 1      | 1      |                             |
| <b>3R</b>             | X     | X     | 35.77 | 44.59 | 67.02 | 87.18  | 112.94 | 167.33 | 435.95 | 552.38 | X      | FIP, 125 WSP, NRS           |
| Carton Qty            |       |       | 12    | 18    | 12    | 8      | 4      | 2      | 1      | 1      |        |                             |
| <b>3FG</b>            | X     | X     | 46.83 | 58.92 | 81.80 | 122.84 | 149.08 | 222.63 | 438.87 | 685.06 | X      | FIP, 150 WSP, NRS FED SPEC  |
| Carton Qty            |       |       | 10    | 8     | 12    | 4      | 4      | 2      | 1      | 1      |        |                             |
| <b>4FG</b>            | X     | X     | 52.49 | 65.81 | 89.63 | 129.83 | 165.41 | 249.97 | X      | X      | X      | FIP, 150 WSP, RS FED SPEC   |
| Carton Qty            |       |       | 18    | 12    | 8     | 8      | 4      | 2      |        |        |        |                             |
| <b>OPERATING NUTS</b> | X     | X     | X     | X     | X     | 27.83  | 27.83  | 27.83  | 27.83  | 27.83  | 27.83  | 2" SQUARE CAST IRON         |

## SWING CHECK & GLOBE VALVES

### NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|              | 1/4"  | 3/8"  | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"     | 2 1/2" | 3"     | 4"     | DESCRIPTION                          |
|--------------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------------------------------------|
| <b>M31</b>   | X     | X     | 9.88  | 12.59 | 16.92 | 25.67  | 35.38  | 54.29  | 107.20 | 144.50 | 238.85 | FIP, SWING CHECK, 200 WOG            |
| Carton Qty   |       |       | 6     | 6     | 3     | 2      | 3      | 2      | 1      | 1      | 1      |                                      |
| <b>M31S</b>  | X     | X     | 9.88  | 12.59 | 16.92 | 25.67  | 35.38  | 54.29  | X      | X      | X      | SWT SWING CHECK, 200 WOG             |
| Carton Qty   |       |       | 10    | 10    | 10    | 5      | 4      | 2      |        |        |        |                                      |
| <b>M31SL</b> | X     | X     | X     | 21.11 | 28.97 | 36.00  | X      | X      | X      | X      | X      | IPS, SPRING LOADED CHECK, 200 WOG    |
| Carton Qty   |       |       |       | 6     | 3     | 3      |        |        |        |        |        |                                      |
| <b>13</b>    | 36.94 | 55.29 | 54.76 | 59.33 | 78.95 | 138.70 | 197.81 | 232.16 | X      | X      | X      | FIP GLOBE FED SPEC, 125 WSP, 200 WOG |
| Carton Qty   | 12    | 12    | 12    | 6     | 6     | 4      | 2      | 2      |        |        |        |                                      |
| <b>14N</b>   | 27.68 | 35.78 | 35.78 | 41.46 | 61.80 | 100.41 | 135.31 | 148.99 | X      | X      | X      | FIP, ANGLE GLOBE, FED SPEC, 200 WOG  |
| Carton Qty   | 12    | 12    | 12    | 6     | 6     | 4      | 2      | 2      |        |        |        |                                      |

## SWING CHECK & GLOBE VALVES

### LEAD-FREE DRINKING WATER VALVES

|              | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"    | 2 1/2" | 3"     | 4"     | DESCRIPTION                |
|--------------|-------|-------|-------|--------|--------|-------|--------|--------|--------|----------------------------|
| <b>G31</b>   | 14.58 | 17.75 | 24.21 | 37.82  | 52.11  | 81.08 | 128.88 | 182.20 | 279.82 | FIP, SWING CHECK, 200 WOG  |
| Carton Qty   | 6     | 6     | 3     | 3      | 3      | 2     | 1      | 1      | 1      |                            |
| <b>G31S</b>  | 14.58 | 17.75 | 24.21 | 37.82  | 52.11  | 81.08 | X      | X      | X      | SWT SWING CHECK            |
| Carton Qty   | 10    | 10    | 10    | 5      | 4      | 2     |        |        |        |                            |
| <b>G31SL</b> | X     | 27.26 | 36.19 | 48.65  | X      | X     | X      | X      | X      | FIP, SPRING CHECK, 200 WOG |
| Carton Qty   |       | 6     | 3     | 2      |        |       |        |        |        |                            |

## GAS COCKS

### NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|              | 1/4"  | 3/8"  | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"     | 2 1/2" | 3" | 4" | DESCRIPTION      |
|--------------|-------|-------|-------|-------|-------|--------|--------|--------|--------|----|----|------------------|
| <b>85CBK</b> | 17.41 | 17.41 | 17.11 | 22.97 | 27.22 | 56.84  | 69.41  | 116.06 | X      | X  | X  | SQUARE HEAD FIP  |
| Carton Qty   | 36    | 36    | 36    | 24    | 12    | 8      | 6      | 5      |        |    |    |                  |
| <b>87CBK</b> | 17.41 | 17.41 | 17.11 | 24.30 | 28.69 | 58.82  | 74.56  | 116.66 | X      | X  | X  | TEE HEAD FIP     |
| Carton Qty   | 36    | 36    | 36    | 24    | 12    | 8      | 6      | 5      |        |    |    |                  |
| <b>88C</b>   | 16.49 | 16.49 | 16.09 | 20.38 | 28.84 | X      | X      | X      | X      | X  | X  | LEVER HANDLE FIP |
| Carton Qty   | 36    | 36    | 36    | 24    | 12    |        |        |        |        |    |    |                  |

**ALL NEW PRICING FOR OUR PLUMBING VALVES EFFECTIVE MAY 1ST, 2014.**

## MULTI-TURN PLUMBING VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|                   | 1/2"  | 3/4"  | 1"   | DESCRIPTION                                |
|-------------------|-------|-------|------|--|
| <b>M71</b>        | 5.57  | 6.97  | X    | HOSE BIBB, 1/2 MIP/SWT, 3/4 MIP            |
| Carton Qty        | 40    | 40    |      |  |
| <b>M71HD</b>      | 13.35 | 14.51 | X    | HEAVY DUTY HOSE BIBB, 1/2 MIP/SWT, 3/4 MIP |
| Carton Qty        | 15    | 15    |      |  |
| <b>M74</b>        | 6.77  | 8.18  | X    | FIP SILLCOCK                               |
| Carton Qty        | 25    | 20    |      |  |
| <b>M74S</b>       | 6.97  | 8.38  | X    | SWT SILLCOCK                               |
| Carton Qty        | 12    | 10    |      |  |
| <b>M75-CSA</b>    | 6.50  | 7.49  | X    | BOILER DRAIN, 1/2 MIP/SWT, 3/4 MIP         |
| Carton Qty        | 40    | 15    |      |  |
| <b>M75C</b>       | 8.33  | 9.75  | X    | BOILER DRAIN - COMPRESSION                 |
| Carton Qty        | 10    | 8     |      |  |
| <b>M75LS</b>      | 10.59 | X     | X    | BOILER DRAIN EXT. SHANK, MIP/SWT           |
| Carton Qty        | 12    |       |      |  |
| <b>WM75</b>       | 8.74  | 9.43  | X    | BOILER DRAIN - PEX ENDS                    |
| Carton Qty        | 12    | 12    |      |  |
| <b>M76</b>        | 6.30  | 7.43  | X    | FIP BOILER DRAIN                           |
| Carton Qty        | 30    | 12    |      |  |
| <b>M78</b>        | 8.83  | 8.83  | 9.35 | FIP, GARDEN VALVE - BENT NOSE              |
| Carton Qty        | 10    | 20    | 6    |  |
| <b>M78INV</b>     | X     | 10.07 | X    | FIP, GARDEN VALVE - INVERTED               |
| Carton Qty        |       | 12    |      |  |
| <b>M75CNK</b>     | 8.64  | X     | X    | NO KINK HOSE BIBB COMP.                    |
| Carton Qty        | 24    |       |      |  |
| <b>M75NK</b>      | 7.40  | 8.31  | X    | NO KINK HOSE BIBB, 1/2 MIP/SWT, 3/4 MIP    |
| Carton Qty        | 12    | 12    |      |  |
| <b>M75SNK</b>     | 7.40  | X     | X    | NO KINK HOSE BIBB SWT                      |
| Carton Qty        | 12    |       |      |  |
| <b>M76NK</b>      | 7.01  | 8.12  | X    | FIP NO KINK HOSE BIBB FEMALE               |
| Carton Qty        | 12    | 12    |      |  |
| <b>SV</b>         | 62.18 | X     | X    | FIP SHOWER VALVE - PULL CHAIN              |
| Carton Qty        | 4     |       |      |  |
| <b>ASTV</b>       | 38.45 | X     | X    | ANTI-SWEAT TANK VALVE - COMP               |
| Carton Qty        | 5     |       |      |  |
| <b>DRAIN CAPS</b> | 2.81  | X     | X    | 1-SMALL 5/16, 1-LARGE 3/8                  |
| Carton Qty        | 10    |       |      |  |
| <b>MVB</b>        | X     | 4.21  | X    | VACUUM BREAKER FHT                         |
| Carton Qty        |       | 10    |      |  |
| <b>MVB2</b>       | X     | 5.78  | X    | VACUUM BREAKER - DRAIN FHT                 |
| Carton Qty        |       | 25    |      |  |

## MULTI-TURN PLUMBING VALVES

LEAD-FREE DRINKING WATER VALVES

|                | 1/2"  | 3/4"  | 1" | DESCRIPTION         |
|----------------|-------|-------|----|---------------------|
| <b>G50</b>     | 9.80  | 10.99 | X  | FIP STOP            |
| Carton Qty     | 30    | 15    |    |                     |
| <b>G50S</b>    | 7.70  | 10.05 | X  | SWT STOP            |
| Carton Qty     | 30    | 15    |    |                     |
| <b>G60</b>     | 11.35 | 13.65 | X  | FIP STOP WITH WASTE |
| Carton Qty     | 30    | 15    |    |                     |
| <b>G60SCSA</b> | 8.02  | 9.91  | X  | SWT STOP WITH WASTE |
| Carton Qty     | 10    | 15    |    |                     |

## QUARTER-TURN PLUMBING VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|               | 1/2"  | 3/4"  | DESCRIPTION                        |
|---------------|-------|-------|------------------------------------|
| <b>M71QT</b>  | 9.54  | 12.26 | HOSE BIBB, 1/2 MIP/SWT, 3/4 MIP    |
| Carton Qty    | 25    | 25    |                                    |
| <b>M74QT</b>  | 10.88 | 13.97 | FIP SILLCOCK                       |
| Carton Qty    | 20    | 20    |                                    |
| <b>M74SQT</b> | 10.88 | 13.97 | SWT SILLCOCK                       |
| Carton Qty    | 10    | 10    |                                    |
| <b>M75QT</b>  | 9.54  | 12.26 | BOILER DRAIN, 1/2 MID/SWT, 3/4 MIP |
| Carton Qty    | 12    | 12    |                                    |
| <b>M76QT</b>  | 9.54  | 12.26 | FIP BOILER DRAIN                   |
| Carton Qty    | 25    | 25    |                                    |

## FROST-PROOF ANTI SIPHON SILLCOCKS

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|              | 4"    | 6"    | 8"    | 10"   | 12"   | 14"   |
|--------------|-------|-------|-------|-------|-------|-------|
| <b>M72AS</b> | 26.83 | 27.82 | 28.80 | 29.95 | 31.10 | 32.07 |
| Carton Qty   | 10    | 8     | 10    | 10    | 10    | 10    |

**ALL NEW PRICING FOR OUR PLUMBING VALVES EFFECTIVE MAY 1ST, 2014.**

## GAS BALL VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|                 | 3/8"  | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"    | DESCRIPTION                     |
|-----------------|-------|-------|-------|-------|--------|--------|-------|---------------------------------|
| <b>M88C</b>     | 7.17  | 5.34  | 6.96  | 10.97 | 25.16  | 36.71  | 61.17 | FIP                             |
| Carton Qty      | 8     | 20    | 6     | 4     | 4      | 4      | 2     |                                 |
| <b>M88CF</b>    | 11.99 | 11.65 | X     | X     | X      | X      | X     | FLARE X FLARE                   |
| Carton Qty      | 12    | 12    |       |       |        |        |       |                                 |
| <b>M88CF12</b>  | X     | 7.83  | X     | X     | X      | X      | X     | FIP X 1/2 FLARE 3/4-16 THREAD   |
| Carton Qty      |       | 8     |       |       |        |        |       |                                 |
| <b>M88CF38A</b> | X     | 7.83  | X     | X     | X      | X      | X     | FIP X 3/8 FLARE 5/8-18 THREAD   |
| Carton Qty      |       | 36    |       |       |        |        |       |                                 |
| <b>M88CF58</b>  | X     | X     | 12.88 | X     | X      | X      | X     | FIP X 5/8 FLARE 15/16-16 THREAD |
| Carton Qty      |       |       | 10    |       |        |        |       |                                 |

## RADIATOR VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|            | 1/2"  | 3/4"  | 1"    | 1 1/4" | 1 1/2" | 2"     | DESCRIPTION          |
|------------|-------|-------|-------|--------|--------|--------|----------------------|
| <b>7</b>   | 28.47 | 31.91 | 45.91 | 59.15  | 87.55  | X      | STEAM GATE           |
| Carton Qty | 6     | 6     | 6     | 4      | 4      |        |                      |
| <b>9</b>   | 24.91 | 29.73 | 35.57 | 45.19  | 67.53  | 128.87 | STEAM ANGLE          |
| Carton Qty | 6     | 6     | 6     | 4      | 4      | 3      |                      |
| <b>9D</b>  | X     | 30.56 | 42.04 | 71.33  | X      | X      | STEAM ANGLE-DOMESTIC |
| Carton Qty |       | 6     | 6     | 4      |        |        |                      |
| <b>45</b>  | 18.20 | 21.40 | 29.60 | 39.79  | X      | X      | HOT WATER IPS ANGLE  |
| Carton Qty | 12    | 12    | 8     | 6      |        |        |                      |
| <b>45S</b> | 18.20 | 21.40 | X     | X      | X      | X      | HOT WATER SWT ANGLE  |
| Carton Qty | 12    | 12    |       |        |        |        |                      |
| <b>46</b>  | 11.05 | 14.24 | 23.48 | 36.33  | X      | X      | HOT WATER ELL IPS    |
| Carton Qty | 6     | 6     | 6     | 4      |        |        |                      |
| <b>46S</b> | 11.05 | 14.24 | X     | X      | X      | X      | HOT WATER ELL SWT    |
| Carton Qty | 12    | 12    |       |        |        |        |                      |

## WASHING MACHINE VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|                 | 1/2" | DESCRIPTION               |
|-----------------|------|---------------------------|
| <b>WMV</b>      | 33.5 | DUAL VALVE - LEVER HANDLE |
| Carton Qty      | 4    |                           |
| <b>OPWMV</b>    | 7.63 | TOP OPERATED - FIP        |
| Carton Qty      | 10   |                           |
| <b>WMVCOMP</b>  | 7.84 | COMPRESSION INLET         |
| Carton Qty      | 10   |                           |
| <b>WMVFRONT</b> | 7.42 | FRONT OPERATED            |
| Carton Qty      | 10   |                           |

## QUARTER TURN WASHING MACHINE VALVES

NOT INTENDED TO CONVEY WATER FOR HUMAN CONSUMPTION

|                   | 1/2" | 5/8" | 3/4" | DESCRIPTION       |
|-------------------|------|------|------|-------------------|
| <b>WM75QT</b>     | 7.98 | X    | 8.98 | MIP               |
| Carton Qty        | 48   |      | 48   |                   |
| <b>WM75CQT</b>    | X    | 5.55 | X    | COMPRESSION INLET |
| Carton Qty        |      | 12   |      |                   |
| <b>WM75LQTB</b>   | 8.84 | X    | X    | LONG SHANK        |
| Carton Qty        | 12   |      |      |                   |
| <b>WM75LQTR</b>   | 8.84 | X    | X    | LONG SHANK        |
| Carton Qty        | 12   |      |      |                   |
| <b>WM75CPVCQT</b> | 9.34 | X    | X    | CPVC INLET        |
| Carton Qty        | 48   |      |      |                   |
| <b>WM75PQT</b>    | 6.99 | X    | X    | PEX INLET         |
| Carton Qty        | 12   |      |      |                   |
| <b>WM76QT</b>     | 6.54 | X    | X    | FIP               |
| Carton Qty        | 48   |      |      |                   |

**ALL NEW PRICING FOR OUR PLUMBING VALVES EFFECTIVE MAY 1ST, 2014.**

# CHROME PLATED SUPPLY STOPS - QUARTER TURN

## LEAD-FREE SUPPLY STOPS

|                       |      | PATTERN  | DESCRIPTION                             |
|-----------------------|------|----------|---|
| <b>G63 - 3/8"</b>     | 6.13 | STRAIGHT | 3/8 FIP X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G63 - 1/2"</b>     | 5.40 | STRAIGHT | 1/2 FIP X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G63S - 1/2"</b>    | 5.20 | STRAIGHT | 1/2 SWT X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G63C - 5/8"</b>    | 5.97 | STRAIGHT | 5/8 OD COMP X 3/8 OD COMP               |
| Carton Qty            | 48   |          |   |
| <b>G63P - 1/2"</b>    | 4.89 | STRAIGHT | 1/2 PEX X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G63PP - 1/2"</b>   | 6.15 | STRAIGHT | 1/2 PEX X 1/2 PEX                       |
| Carton Qty            | 48   |          |   |
| <b>G63CPVC - 1/2"</b> | 6.82 | STRAIGHT | 1/2 CPVC X 3/8 OD COMP                  |
| Carton Qty            | 48   |          |   |
| <b>G64 - 3/8"</b>     | 5.86 | ANGLE    | 3/8 FIP X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G64 - 1/2"</b>     | 6.75 | ANGLE    | 1/2 FIP X 38 OD COMP                    |
| Carton Qty            | 48   |          |   |
| <b>G64S - 1/2"</b>    | 5.39 | ANGLE    | 1/2 SWT X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G64C - 5/8"</b>    | 6.35 | ANGLE    | 5/8 OD COMP X 3/8 OD COMP               |
| Carton Qty            | 48   |          |   |
| <b>G64P - 1/2"</b>    | 4.44 | ANGLE    | 1/2 PEX X 3/8 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G64CPVC - 1/2"</b> | 6.55 | ANGLE    | 1/2 CPVC X 3/8 OD COMP                  |
| Carton Qty            | 48   |          |   |
| <b>G65 - 1/2"</b>     | 5.65 | ANGLE    | 1/2 FIP X 1/4 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G65C - 5/8"</b>    | 6.23 | ANGLE    | 5/8 OD COMP X 1/4 OD COMP               |
| Carton Qty            | 48   |          |   |
| <b>G65CPVC - 1/2"</b> | 6.44 | ANGLE    | 1/2 CPVC X 1/4 OD COMP                  |
| Carton Qty            | 48   |          |   |
| <b>G65P - 1/2"</b>    | 4.94 | ANGLE    | 1/2 PEX X 1/4 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G65S - 1/2"</b>    | 5.99 | ANGLE    | 1/2 SWT X 1/4 OD COMP                   |
| Carton Qty            | 48   |          |   |
| <b>G66</b>            | 7.80 | DUAL     | 1/2 FIP X 3/8 OD COMP X 3/8 OD COMP     |
| Carton Qty            | 48   |          |   |
| <b>G66-14</b>         | 7.64 | DUAL     | 1/2 FIP X 3/8 OD COMP X 1/4 OD COMP     |
| Carton Qty            | 48   |          |   |
| <b>G66C</b>           | 9.07 | DUAL     | 5/8 OD COMP X 3/8 OD COMP X 3/8 OD COMP |
| Carton Qty            | 48   |          |   |
| <b>G66C-14</b>        | 8.95 | DUAL     | 5/8 OD COMP X 3/8 OD COMP X 1/4 OD COMP |
| Carton Qty            | 48   |          |   |



Member of the Valve Manufacturers Association of America

**ISO 9001 Registered**

P.O. Box 35229, Greensboro NC 27425  
ph. 800-645-0101 fax. 800-876-0109

**ALL NEW PRICING FOR OUR PLUMBING VALVES EFFECTIVE MAY 1ST, 2014.**